



REVOLUPACK ® Tabletop Sealing Machines



Eco-friendly, with 98%
Less Materials



Easy to Assemble
& Operate



Cost-Effective



REVOLUPACK®



BENEFITS & QUALITIES



Tamper-evident



Spill-free
**Leak proof



Eco-friendly, with 98%
Less Materials



Easy to Assemble
& Operate



Hot Food



Cold Foods



Industrial Tabletop Sealing Machine creates a fully watertight seal that can securely hold hot and cold liquid without leaks. This makes it a safe way to secure food for delivery.

KEY POINTS



Easily customize the Paper Roll with your logo.
(100 Rolls MOQ is required)



Save money with a cost-effective solution



Seal between 150 and 200 containers per hour



Current lead time for delivery is 4 to 6 weeks



1-Year Warranty (Terms & Conditions Apply)*



*This warranty covers only broken or missing pieces caused by shipping. To receive a replacement for broken pieces, please take pictures of the damage for replacement. Read more at packwood.com/terms-and-conditions.

**The matching containers & rolls should be properly placed on designated sealing machines to ensure leakproof seals. Ensure better performance by exclusively using Packwood buckets and film/paper rolls. For more information, refer to the instruction's manual.

USA Phone line : 1 201 604 3840 support email : packseal@packwood.com for technical support

Great for a Variety of Sectors



Supermarket Deli Departments



Restaurants & Ghost Kitchens



Caterers & Home Chefs

Excellent Way to Package



HOT SOUPS




COLD SALADS



DESSERT



OUT ORDERS








OTHER FEATURES & SPECIFICATIONS

- ✓ SIMPLE AND EASY OPERATING CONTROLS
- ✓ EASY TO CLEAN (SEE THE LAST PAGE FOR INSTRUCTIONS)
- ✓ FAST HEATING (SEE THE LAST PAGE FOR INSTRUCTIONS)
- ✓ CREATES AIRTIGHT SEALS
- ✓ ADJUSTABLE SEALING TEMPERATURE
- ✓ QUICKLY SEALS IN LESS THAN 3 SECONDS
- ✓ INCLUDES PLUG (5 FT. APPROX)
- ✓ ADJUSTABLE SEAL RINGS FOR DIFFERENT CONTAINER DIAMETERS
- ✓ SEAL HOT OR COLD FOODS IN FOOD-SAFE CONTAINERS
- ✓ SAVE MONEY ON FOOD SERVICE LIDS
- ✓ A HEAVY-DUTY, DURABLE STEEL STRUCTURE ENSURES COMMERCIAL QUALITY AND RELIABILITY BY PROTECTING AGAINST CORROSION AND RUST
- ✓ SEALER MACHINE IS DESIGNED WITH A FLEXIBLE HANDLE LEVER, ALLOWING YOU TO SEAL THE CUP PERFECTLY WITH A SIMPLE MANUAL CONTROL
- ✓ WARRANTY – 1 YEAR PARTS *
- ✓ CE CERTIFIED **

**The CE mark means that the manufacturer takes responsibility for the compliance of a product with all applicable European health, safety, performance and environmental requirements. CE stands for "Conformité Européenne", the French for European conformity.

Revolupack | Sealing Machines & Rolls

-  **Easily customize the Paper Roll with your logo.**
(100 Rolls MOQ is required)
-  **Save money with a cost-effective solution**
-  **Seal between 150 and 200 containers per hour**
-  **Current lead time for delivery is 4 to 6 weeks**
-  **1-Year Warranty (Terms & Conditions Apply)***




SKU: 294SCEL205M

L:49 x W:40 x H:55cm
 L:19.3 x W:15.7 x H:21.7in
 Weight: 27kg = 59 lbs
 POWER SUPPLY: 110V/60HZ
 OUTPUT: 300 CUPS/H
 POWER: 300W
 OUTPUT: 110V/60HZ



Supplied with two rings:
 - RING Ø 0.68in (inside) & Ø 0.72in (outside)
 - RING Ø 0.71in (inside) & Ø 0.73in (outside)



Sold separately

KRAFT PAPER ROLL

25.5 cm x 300 m
 approximation: 1,200 applications
 SKU: 210RPK250



Sold separately

PET CLEAR ROLL

25 microns x 500 m
 approximation: 2,100 applications
 SKU: 210SCEL270P

Applicable Products:

 <p>KRAFT BUCKET Dia:7.2in 40oz 210PC1100K Dia:7.2in 40oz 210PCP1100K</p>	 <p>KRAFT BUCKET Dia:7.3in 53oz 210PC1550K</p>	 <p>PLA BUCKET Dia:7.3in 44oz 210PCPLA1500</p>	 <p>SUGAR CANE PLATE Dia:7in 210APU18 Dia:7.09in 16oz 210APUB16 210APUB16F </p>	 <p>SUGAR CANE BOWL Dia:7.7in 24oz 210APUPK24BR 210APUPK24BRF  Dia:7.7in 32oz 210APUPK32BR 210APUPK32BRF  Dia:7.7in 40oz 210APUPK40BR 210APUPK40BRF </p>
---	---	--	---	---





SKU: 294SCEL83M
 L:28.5 x W:29 x H:51.5cm
 L:11.2 x W:11.4 x H:20.3in
 Weight: 12kg = 26 lbs
 POWER SUPPLY: 110V/60HZ
 OUTPUT: 300 CUPS/H
 POWER: 300W



Comes with five rings:

- RING Ø 0.0295in (inside) & Ø 0.0319in (outside)
- RING Ø 0.0271in (inside) & Ø 0.0287in (outside)
- RING Ø 0.0263in (inside) & Ø 0.0283in (outside)
- RING Ø 0.0330in (inside) & Ø 0.0354in (outside)
- RING Ø 0.0220in (inside) & Ø 0.0236in (outside)

Revolupack | Sealing Machines & Rolls

- Easily customize the Paper Roll with your logo.**
(100 Rolls MOQ is required)
- Save money with a cost-effective solution**
- Seal between 150 and 200 containers per hour**
- Current lead time for delivery is 4 to 6 weeks**
- 1-Year Warranty (Terms & Conditions Apply)***

Sold separately



KRAFT PAPER ROLL

112.9 cm x 300 m
 approximation: 1,200 applications
 SKU: 210RPK130

Sold separately



PET CLEAR ROLL

28 microns x 500 m
 approximation: 2,100 applications
 SKU: 210SCEL130P

Applicable Products:



WHITE SOUP CUP

Dia:3.3in 8oz 210SOUP8
 Dia:3.3in 12oz 210SOUP12
 Dia:3.3in 16oz 210SOUP16



KRAFT SOUP CUP

Dia:3.3in 8oz 210SOUPK8K
 Dia:3.3in 12oz 210SOUPK13K
 Dia:3.3in 16oz 210SOUPK17K



KRAFT PORTION CUPS

Dia:2.9in 4.2oz 210POB121
 Dia:3in 5oz 210POB151
 Dia:3.5in 7oz 210POB181
 Dia:2.8in 3.3oz 210POB81



PAPER COFFEE CUPS

Dia:2.8 in 4oz 210GCZENC6
 Dia:2.8 in 4oz 210GCZENC45
 Dia:2.8 in 4oz 210GCBL41DA
 Dia:2.8 in 4oz 210GCLEAF6
 Dia:2.8 in 4oz 210GCBLC45



BLACK PORTION CUPS

Dia:2.9in 3oz 210POC81N
 Dia:2.9in 4.2oz 210POC121N
 Dia:3.15in 4.5oz 210POC151N
 Dia:3.5in 7oz 210POC181N



Eco-Friendly



Cost-Effective








Little Assembly Required



Industrial Tabletop Sealing Machines

Revolupack | Sealing Machines & Rolls

-  **Easily customize the Paper Roll with your logo.**
(100 Rolls MOQ is required)
-  **Save money with a cost-effective solution**
-  **Seal between 150 and 200 containers per hour**
-  **Current lead time for delivery is 4 to 6 weeks**
-  **1-Year Warranty (Terms & Conditions Apply)***



SKU: 294SCEL124M

46 x 25 x 45.5cm
 18.1 x 9.8 x 17.9in
 Weight: 19kg = 41 lbs
 POWER SUPPLY: 110V/60HZ
 OUTPUT: 300 CUPS/H
 POWER: 300W



Comes with two rings:

RING Ø 0.0354in (inside) & Ø 0.0374in (outside)
 RING Ø 0.43in (inside) & Ø 0.45in (outside)



Sold separately

KRAFT PAPER ROLL

17 cm x 300 m
 approximation: 1,200 applications
 SKU: 210RPK165



Sold separately

PET CLEAR ROLL

28 microns x 500 m
 approximation: 2,100 applications
 SKU: 210SCEL160P

Applicable Products:



SUGARCANE
 Dia:4.3in 16oz 210GPU500
 210GPU500F 



NEWSPRINT CONTAINER
 Dia:4.5in 12oz 210DELINNEWS12
 Dia:4.5in 16oz 210DELINNEWS16
 Dia:4.5in 20oz 210DELINNEWS20
 Dia:4.5in 24oz 210DELINNEWS24



DELI KRAFT CONTAINER
 Dia:4.49in 12oz 210DELIK12K
 Dia:4.49in 16oz 210DELIK16K
 Dia:4.49in 22oz 210DELIK22K









KRAFT PORTION CUP
 Dia:3.7in 9oz 210POB270



SOUP CUPS
 Dia:3.75in 20oz 210SOUP24

Revolupack | Sealing Machines & Rolls

-  **Easily customize the Paper Roll with your logo.**
(100 Rolls MOQ is required)
-  **Save money with a cost-effective solution**
-  **Seal between 150 and 200 containers per hour**
-  **Current lead time for delivery is 4 to 6 weeks**
-  **1-Year Warranty (Terms & Conditions Apply)***



SKU: 294SCEL155M

L:49 x W:40 x H:55cm
 L:19.3 x W:15.7 x H:21.7in
 Weight: 26kg = 57 lbs
 POWER SUPPLY: 110V/60HZ
 OUTPUT: 300 CUPS/H
 POWER: 300W



Supplied with two rings:

- RING Ø 0.0354in (inside) & Ø 0.0374in (outside)
- RING Ø 0.43in (inside) & Ø 0.45in (outside)



Sold separately

KRAFT PAPER ROLL

22.5 cm x 300 m
 approximation: 1,200 applications
 SKU: 210RPK220



Sold separately

PET CLEAR ROLL

28 microns x 500 m
 approximation: 2,100 applications
 SKU: 210SCEL200P

Applicable Products:



KRAFT BUCKET PLASTIC FREE
 Dia:5.9in 16oz 210PCW480K
 Dia:5.9in 24oz 210PCW750K
 Dia:5.9in 20oz 210PCW580K
 Dia:5.9in 30oz 210PCW1000K
 Dia:7.3in 40oz 210PCW1200K



GREEN BUCKET
 Dia:5.9in 16oz 210PC480V
 Dia:5.9in 20oz 210PC580V
 Dia:5.9in 24oz 210PC750V
 Dia:5.9in 30oz 210PC1000V



KRAFT BUCKET
 Dia:5.9in 16oz 210PC481K
 Dia:5.9in 20oz 210PC581K
 Dia:5.9in 24oz 210PC751K
 Dia:5.9in 30oz 210PC1000K



WHITE BUCKET
 Dia:5.8in 16oz 210PC480B
 Dia:5.8in 20oz 210PC580B
 Dia:5.8in 24oz 210PC750B
 Dia:5.8in 30oz 210PC1000B



BAMBOO BUCKET
 Dia:5.8in 25oz 210PCPLA750
 Dia:5.8in 34oz 210PCPLA1000



BLACK BUCKET
 Dia:5.9in 16oz 210PC480KN
 Dia:5.9in 24oz 210PC750KN
 Dia:5.9in 30oz 210PC1000KN



Eco-Friendly




Cost-Effective




Little Assembly Required



USE & CARE INSTRUCTIONS



Warning! Our sealing machines are capable of reaching very high temperatures. Follow all safety procedures to avoid injury.



How to operate

Once rollers are in place:

- A** Push the Power button to the left.
- B** Adjust Temperature settings according to the materials used.
- C** Wait for 3-5 minutes for the operating light to turn from green to red.
- D** Slide the tray out and place matching diameter container.
- E** Once the tray is in, rotate the aiming roll down to create a tight seal.
- F** Pull the handle down and hold for 3 seconds.
- G** Release the lever/handle back into position.
- H** Our recommendation is to leave two inches between applications when applying continuously.
- I** Avoid over flowing. In order to ensure good sealing, the radius of the container needs to be kept dry.
- J** After use wait an hour for the machine to cool off.

PET ROLL*200 F Heat approximation

KRAFT ROLL*250 F Heat approximation

*Exceeding the recommended heat may cause the paper to tear.

What you will have in hand



4x pieces
Handwheel
Adjusters



2x pieces
Metal Springers
with Clamp



4x pieces
Steel Ring Plates




4x pieces
Metal Springs



2x pieces
Tube Roller
Holders


How to assemble

STEP 1




Take one of the **F** tube rollers holder and place one **C** steel ring plate. Then, you take one of the **D** metal spring and place one **C** steel ring plate. Then you add **A** one hand wheel adjuster on the flat surface against the steel ring plate.

STEP 2



Then you can add your preference roll (Packwood kraft or pet liner roll is recommended for better performance) Then you add the second one **A** hand wheel adjuster .

STEP 3



Finally dont forget to add the metal springer with the clap. Putting some pressure on the claps to make the spring for better size adjustment on the **F** tube rollers holder, and bring it all close to **A** handwheel adjuster this will keep the roll tight while rotating.

STEP 4



When placing the whole roller into the machine make sure the flat area of the **F** tube rollers holder is on the same direction as the position of the machine so that it inserts correctly.

*** if any pieces are missing/broken from your equipment. send an email to support@packwood.com for broken pieces please attach a proof image of the item for replacement.**



Eco-Friendly



Cost-Effective



Little Assembly Required

REVOLUPACK
Industrial Tabletop Sealing Machines

What you will have in hand




STEP 5



Repeat steps 1 through 4 to attach the second tube roller holder **F**. Make sure to connect the lever **G** to the machine. Twist the lever cap **H** into the top of the lever **G** and ensure a snug fit.

STEP 6



When placing a new metal ring **E** onto the machine, simply open the metal tray and line up the ring with the screw. This helps to lock the ring into place.

STEP 7



Before connecting the electrical power cord **F** to an outlet, make sure you connect it properly to the machine. The connection is located on the side of the machine you are using.

***This warranty covers only broken or missing pieces caused by shipping. To receive a replacement for broken pieces, please take pictures of the damage for replacement. Read more at packwood.com/terms-and-conditions.**

****The matching containers & rolls should be properly placed on designated sealing machines to ensure leakproof seals. Ensure better performance by exclusively using Packwood buckets and film/paper rolls. For more information, refer to the instructions manual.**



Efficient and Reliable, our lid machine ensures leakproof sealing with exceptional A+ service.





New

OPSEAL by

REVOLUPACK



Supermarket Deli
Departments



Restaurants &
Ghost Kitchens



Caterers &
Home Chefs



SKU: 294OPSEAL280A

45 x 40 x 51cm
 17.71 x 15.74 x 20.07in
 Weight: 19kg = 41 lbs
 POWER SUPPLY: 110V/60HZ
 OUTPUT: 400 CUPS/H
 POWER: 300W

COMPATIBLE MOLDS AND CONTAINERS ARE AVAILABLE THAT CAN COVER A WIDE VARIETY OF APPLICATION AND NEEDS

Single-Slotted Molds



Sold separately

Aluminum Slotted Molds



Sold separately

OPSEAL Sealing Mold

Dia:7.71in 1pc 2940PMOLD196
 Dia:6.85in 1pc 2940PMOLD174
 Dia:5.90in 1pc 2940PMOLD150
 Dia:4.48in 1pc 2940PMOLD114

OPSEAL Sealing Mold

Dia:3.14>(*2)3.54in 1pc 2940PMOLD809090
 Dia:(*2)3.54/ 3.77in 1pc 2940PMOLD909690
 Dia:(*2)2.44/2.91in 1pc 2940PMOLD627462

Sold separately

Opercover Kraft

Dia:4.84in 1000pcs 2100PC0123
 Dia:6.14in 500pcs 2100PC0156
 Dia:7.48in 500pcs 2100PC0190
 Dia:8.03in 500pcs 2100PC0204

Opercover white

Dia:4.72in 1000pcs 2100PC0120W
 Dia:6.1in 500pcs 2100PC0155W
 Dia:7.87in 500pcs 2100PC0200W

ENHANCE YOUR EXPERIENCE WITH OUR PACKWOOD PRODUCTS.

From single-portion to multi-portion containers from 2oz (60ml) to 20oz (600ml)



BUCKETS



BOWLS



SOUP CUPS



CUPS



PORTIONCUPS

- Some molds come with two holes of the same diameter size



Eco-Friendly



Cost-Effective



Little Assembly Required



Industrial Tabletop Sealing Machines



**SKU:
294OPSEAL280A**

45 x 40 x 51cm
17.71 x 15.74 x 20.07in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W

Sold separately



OPSEAL Sealing Mold

Dia:7.71in 1pc 2940PMOLD196
Dia:5.90in 1pc 2940PMOLD150
Dia:4.48in 1pc 2940PMOLD114

Sold separately



Opercover Kraft

Dia:8.03in 500pcs 2100PC0204
Dia:7.48in 500pcs 2100PC0190
Dia:6.14in 500pcs 2100PC0156
Dia:4.84in 1000pcs 2100PC0123

Opercover white

Dia:4.72in 1000pcs 2100PC0120W
Dia:6.1in 500pcs 2100PC0155W
Dia:7.87in 500pcs 2100PC0200W

16oz Product for Diameter 6.85in

OPSEAL Sealing Mold

Dia:6.85in 1pc 2940PMOLD174
Opercover Kraft
Dia:7.48in 500pcs 2100PC0190



SUGAR CANE PLATE

Dia:7.09in 16oz 210APUB16

210APUB16F NO FIBRS Added

24-40oz Product for Diameter 7.71in

OPSEAL Sealing Mold

Dia:7.71in 1pc 2940PMOLD196
Opercover Kraft
Dia:8.03in 500pcs 2100PC0204
Opercover white
Dia:7.87in 500pcs 2100PC0200W



SUGAR CANE BOWL

Dia:7.7in 24oz 210APUPK24BR

210APUPK24BRF NO FIBRS Added

Dia:7.7in 32oz 210APUPK32BR

210APUPK32BRF NO FIBRS Added

Dia:7.7in 40oz 210APUPK40BR

210APUPK40BRF NO FIBRS Added

16- 40oz Product for Diameter 5.90in

OPSEAL Sealing Mold

Dia:5.90in 1pc 2940PMOLD150
Opercover Kraft
Dia:6.14in 500pcs 2100PC0156
Opercover white
Dia:6.1in 500pcs 2100PC0155W



BLACK BUCKET

Dia:5.9in 16oz 210PC480KN
Dia:5.9in 24oz 210PC750KN
Dia:5.9in 30oz 210PC1000KN



KRAFT BUCKET PLASTIC FREE

Dia:5.9in 16oz 210PCW480K
Dia:5.9in 24oz 210PCW750K
Dia:5.9in 20oz 210PCW580K
Dia:5.9in 30oz 210PCW1000K
Dia:7.3in 40oz 210PCW1200K



Industrial Tabletop Sealing Machines



Eco-Friendly



Cost-Effective



Little Assembly Required

16-30oz Product for Diameter 5.90in

OPSEAL Sealing Mold

Dia:5.90in 1pc 2940PMOLD150

Opercover Kraft

Dia:6.14in 500pcs 2100PC0156

Opercover white

Dia:6.1in 500pcs 2100PC0155W



GREEN BUCKET

Dia:5.9in 16oz 210PC480V
 Dia:5.9in 20oz 210PC580V
 Dia:5.9in 24oz 210PC750V
 Dia:5.9in 30oz 210PC1000V



KRAFT BUCKET

Dia:5.9in 16oz 210PC481K
 Dia:5.9in 20oz 210PC581K
 Dia:5.9in 24oz 210PC751K
 Dia:5.9in 30oz 210PC1000K



WHITE BUCKET

Dia:5.8in 16oz 210PC480B
 Dia:5.8in 20oz 210PC580B
 Dia:5.8in 24oz 210PC750B
 Dia:5.8in 30oz 210PC1000B

8-24oz Product for Diameter 3.14in

OPSEAL Sealing Mold

Dia:4.48in 1pc 2940PMOLD114

Opercover Kraft

Dia:4.84in 1000pcs 2100PC0123

Opercover white

Dia:4.72in 1000pcs 2100PC0120W



NEWSPRINT CONTAINER

Dia:4.5in 12oz 210DELINEWS12
 Dia:4.5in 16oz 210DELINEWS16
 Dia:4.5in 20oz 210DELINEWS20
 Dia:4.5in 24oz 210DELINEWS24



SOUP CUP PLASTIC FREE

Dia:3.5in 8oz 210SOW8
 Dia:4.5in 12oz 210SOW12
 Dia:4.5in 16oz 210SOW16
 Dia:4.5in 24oz 210SOW24



DELI KRAFT CONTAINER

Dia:4.49in 12oz 210DELIK12K
 Dia:4.49in 16oz 210DELIK16K
 Dia:4.49in 22oz 210DELIK22K



SUGARCANE

Dia:4.3in 12oz 210GPU350
 210GPU350F NO PFAS Added
 Dia:4.3in 16oz 210GPU500
 210GPU500F NO PFAS Added

53oz Product for Diameter 7.30in

OPSEAL Sealing Mold

Dia:7.3in 1pc 2940PMOLD184

Opercover Kraft

D:8.03in 1000pcs 2100PC0204

Opercover white

D:7.87in 1000pcs 2100PC0200W



KRAFT BUCKET

Dia:7.3in 53oz 210PC1550K



Eco-Friendly



Cost-Effective



Little Assembly Required



Industrial Tabletop Sealing Machines



**SKU:
294OPSEAL280A**

45 x 40 x 51cm
17.71 x 15.74 x 20.07in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W

2 3.54in



Sold separately

OPSEAL Sealing Mold

Dia:3.14/3.54/3.54+in
1pc 2940PMOLD809090

1 3.14in

2 3.54in



Sold separately

Opercover Kraft

Dia:3.46in 1000pcs 2100PC088

Opercover white

Dia:3.23in 1000pcs 2100PC082W

1

4.5-16oz Product for Diameter 3.14in

OPSEAL Sealing Mold

Dia:3.14
1pc 2940PMOLD809090

Opercover Kraft

Dia:3.46in 1000pcs 2100PC088

Opercover white

Dia:3.23in 1000pcs 2100PC082W



KRAFT/BLACK PORTION CUP

Dia:3.15in 4.5oz 210POC151N
Dia:3in 5oz 210POB151



BAMBOO FIBER CUP PLASTIC FREE

Dia:3.5in 12oz 210GCWBTF12
Dia:3.5in 16oz 210GCWBTF16

2

12-16oz Product for Diameter 3.54in

OPSEAL Sealing Mold

Dia:3.54in
1pc 2940PMOLD809090

Opercover Kraft

Dia:3.46in 1000pcs 2100PC088

Opercover white

Dia:3.23in 1000pcs 2100PC082W



ZEN CUP PLASTIC FREE

Dia:3.5in 12oz 210GCWBZEN12
Dia:3.5in 16oz 210GCWBZEN16



BAMBOO FIBER CUP PLASTIC FREE

Dia:3.5in 12oz 210GCWBTF12
Dia:3.5in 16oz 210GCWBTF16

2

12-20oz Product for Diameter 3.54in

OPSEAL Sealing Mold

Dia:3.54in
1pc 2940PMOLD809090



RIPPLED CUP PLASTIC FREE

Dia:3.5in 12oz 210GCRWB12BG
Dia:3.5in 16oz 210GCRWB16BG



BAMBOO FIBER CUP PLASTIC FREE

Dia:3.5in 16oz 210GCWBTF12



DOUBLE WALL CUP PLASTIC FREE

Dia:3.5in 12oz 210GCDWB12N
Dia:3.5in 16oz 210GCDWB16K
Dia:3.5in 16oz 210GCDWB16N
Dia:3.5in 20oz 210GCDWB20K



SKU: 294OPSEAL280A
 45 x 40 x 51cm
 17.71 x 15.74 x 20.07in
 Weight: 19kg = 41 lbs
 POWER SUPPLY: 110V/60HZ
 OUTPUT: 400 CUPS/H
 POWER: 300W

1 7-8oz Product for Diameter 3.54in

OPSEAL Sealing Mold

Dia:3.54in
 1pc 2940PMOLD909690

Opercover Kraft

Dia:3.74in 1000pcs 2100PC095

Opercover white

Dia:3.78in 1000pcs 2100PC096W



BLACK PORTION CUPS
 Dia:3.5in 7oz 210POC181N



KRAFT PORTION CUP
 Dia:3.5in 7oz 210POB181



SOUP CUP PLASTIC FREE
 Dia:3.5in 8oz 210SOW8

1 8-12oz Product for Diameter 3.54in

OPSEAL Sealing Mold

Dia:3.54in
 1pc 2940PMOLD909690

Opercover Kraft

Dia:3.74in 1000pcs 2100PC095

Opercover white

Dia:3.78in 1000pcs 2100PC096W



SUGARCANE
 Dia:3.7in 8.5oz 210GPU240
 210GPU240F NO PAST ASSESS



BLACK PORTION CUPS
 Dia:3.5in 10oz 210PC320N



KRAFT/WHITE SOUP CUP
 Dia:3.3in 8oz 210SOUPK8
 Dia:3.3in 8oz 210SOUP8
 Dia:3.3in 12oz 210SOUPK13K
 Dia:3.3in 12oz 210SOUP12

2 9-20oz Product for Diameter 3.77in

OPSEAL Sealing Mold

Dia:3.77in
 1pc 2940PMOLD909690

Opercover Kraft

Dia:3.74in 1000pcs 2100PC095

Opercover white

Dia:3.78in 1000pcs 2100PC096W




BLACK PORTION CUPS
 Dia:3.7in 9oz 210POC270N



KRAFT PORTION CUP
 Dia:3.7in 9oz 210POB270



WHITE SOUP CUP
 Dia:3.75in 20oz 210SOUP24



Sold separately
OPSEAL Sealing Mold
 Dia:3.54/ 3.77/3.54+in
 1pc 2940PMOLD909690




Sold separately
Opercover Kraft
 Dia:3.74in 1000pcs 2100PC095
Opercover white
 Dia:3.78in 1000pcs 2100PC096W





SKU:
294OPSEAL280A

45 x 40 x 51cm
17.71 x 15.74 x 20.07in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W



Sold separately
OPSEAL Sealing Mold
Dia:2.44/2.91/2.44+in
1pc 2940PMOLD627462

Sold separately
Opercover Kraft
Dia:2.6in 1000pcs 2100PC066
Dia:2.9in 1000pcs 2100PC076
Opercover white
Dia:2.95in 1000pcs 2100PC075W

1 2-4oz Product for Diameter 2.44in

OPSEAL Sealing Mold

Dia:2.44in
1pc 2940PMOLD627462



SUGARCANE

Dia:2.1in 2oz 210GPU7
210GPU7F
210GPU7BRF

Opercover Kraft

Dia:2.6in 1000pcs 2100PC066



KRAFT/BLACK PORTION CUP

Dia:2.4in 2oz 210POC60N
Dia:2.4in 2.3oz 210POB61

Opercover white

Dia:2.95in 1000pcs 2100PC075W



ZEN CUP PLASTIC FREE

Dia:2.4in 4oz 210GCWBZEN4



BAMBOO FIBER CUP PLASTIC FREE

Dia:2.4in 4oz 210GCWBTF4

1 3-20oz Product for Diameter 2.44in

OPSEAL Sealing Mold

Dia:2.44in
1pc 2940PMOLD627462



KRAFT/BLACK PORTION CUP

Dia:2.9in 3oz 210POC81N
Dia:2.8in 3.3oz 210POB81
Dia:2.9in 4.2oz 210POC121N



BAMBOO FIBER CUP PLASTIC FREE

Dia:2.4in 4oz 210GCWBTF4



DOUBLE WALL CUP PLASTIC FREE

Dia:3.5in 12oz 210GCDWB12N
Dia:3.5in 16oz 210GCDWB16K
Dia:3.5in 16oz 210GCDWB16N
Dia:3.5in 20oz 210GCDWB20K

2 3-4.7oz Product for Diameter 2.91in

OPSEAL Sealing Mold

Dia:2.91in
1pc 2940PMOLD627462



KRAFT/BLACK PORTION CUPS

Dia:2.9in 3oz 210POC81N
Dia:2.8in 3.3oz 210POB81
Dia:2.9in 4.2oz 210POC121N



ZEN CUP PLASTIC FREE

Dia:2.4in 4oz 210GCWBZEN4



SUGARCANE

Dia:2.9in 4.7oz 210GPU140
210GPU140F
210GPU7BRF



Convenient, User-friendly, Versatile





ECO-Friendly



Cost-Effective



Little Assembly Required

REVOLUPACK



NYC SHOWROOM
213 W 35th St. PH 14th Floor
New York, New York 10001

Contact us
contact@packnwood.com
Tel : +1 201 604 3840
Fax: +1 201 604 3863

FOLLOW OUR SOCIALS!



[packnwood](#)



[packnwood](#)



[packnwood](#)



[packnwoodusa](#)



PACKNWOOD



VISIT OUR NYC
SHOWROOM



ONLINE
CATALOG



TRADESHOW